



Al-Athaiba International Business LLC

AIB



Our Products

PRODUCT HIGHLIGHTS

- ◆ Helmets
- ◆ Safety Shoes
- ◆ Coveralls
- ◆ Face Shields
- ◆ Welding Helmets
- ◆ Helmet Accessories
- ◆ Bump caps
- ◆ Respiratory masks
- ◆ Cartridges
- ◆ Ear Defenders
- ◆ Ear Plug
- ◆ Disposable masks
- ◆ Fabric Supported coated gloves
- ◆ Leather gloves
- ◆ Welding gloves
- ◆ Textile Gloves
- ◆ Cut and resistant gloves
- ◆ Latex and synthetic gloves
- ◆ Chemical gloves
- ◆ Unsupported dipped gloves
- ◆ Disposable work gear
- ◆ Body protection
- ◆ Protective aprons
- ◆ Coverall
- ◆ Hospital & other uniforms
- ◆ Flame retardant
- ◆ Anti-acid
- ◆ Electronic safety devices

“

“Your safety is in our safe Hands”

PRODUCTS ON HIGH DEMAND CURRENTLY!!

FLAME RETARDANT COVERALLS – NON REFLECTIVE



Coverall Flame/Fire Retardant



Model No: F1022

Fabric Quality: 100% Cotton

Fabric Weight: 300 GSM

Fabric Feature: Pre Shrunk

Size: S, M, L, XL, 2XL, 3XL and 4XL

Sizing Feature: Sleeves with Velcro Fasteners

Style: 2 front, 2 back, 2 side, 1 Thigh Pocket

Colors: Red, Orange , Navy, Sky Blue, Grey and Beige.

SAFETY STANDARDS

EN ISO 116212 Compliant

EN ISO 11611 Compliant

NFPA 2112 Compliant

Optional Add On: EN 1149 – NFPA 70E



100% COTTON COVERALLS – REFLECTIVE -1



Coverall – 100% Cotton ★ ★ ★ ★ ★ ★ ★ ★

Model No: D592

Fabric Quality: 100% Cotton

Fabric Weight: 240 GSM

Feature: 50mm Reflective Tapes on Knee, Guards, Sleeves and Shoulders

Sizes: S | M | L | XL | 2XL | 3XL | 4XL | 5XL

Color : Red | Gray | Light Blue | Dark Blue | Orange | Beige

Style:

2 Swing Pockets with Side Access

Zip Front with Cover Placket

Ventilated under arms

2 Chest Pockets with Flap Buttons

2 Back Pockets with Flap Velcro

Quality Elasticized Extended Waist with Velcro Belt

Workwear Standards

EN 13688: 2013 compliant

EN 20471 compliant



100% COTTON COVERALLS – REFLECTIVE -2



100% Cotton Reflective Coverall ★★★★★

Model No: 1200C

Fabric Quality: 100% Cotton

Fabric Weight: 195 GSM

Feature: 50mm Reflective Tapes on Knee Guards, Sleeves and Shoulders

Sizes: S | M | L | XL | 2XL | 3XL | 4XL | 5XL

Color : Red | Gray | Light Blue | Navy Blue | Orange | Beige

Style:

2 Swing Pockets with Side Access

Zip Front with Cover Placket

2 Chest Pockets with Flap Buttons

2 Back Pockets with Flap Velcro

Quality Elasticized Waist

Workwear Standards

EN 13688: 2013 compliant

EN 20471 compliant



100% COTTON Pant & Shirt – REFLECTIVE -1



100% Cotton Reflective 2-Piece Jacket & Trouser ★★★★★★

Model No: EUPS240C100

Fabric Quality: 100% Cotton Fabric Weight: 240 GSM

Feature: 50mm Reflective Tapes on Knee Guards, Sleeves and Shoulders

Sizes: S | M | L | XL | 2XL | 3XL | 4XL | 5XL

Color : Grey+Orange | Navy Blue + Orange | Grey+Royal Blue

Style:

JACKET

- 1 Patch Mobile Pocket
- 4 Chest Pockets (2 with Zippers & 2 with Side Access)
- 2 Extra Pockets on Chest with Flap Velcro
- Zip Front with Cover Placket

TROUSER

- 2 Swing Pockets in the Trouser with Side Access
- 1 Ruler Pocket on Right Side of the Trouser
- 2 Cargo Pockets in Trouser with Flap Velcro
- 2 Back Pockets in Trouser with Flap Velcro

Workwear Standards

EN 13688: 2013 compliant

EN 20471 compliant



POLY COTTON 2-Piece Reflective HV Jacket & Trouser



Polycotton 2-Piece Reflective Jacket & Trouser ★★★★★★

Model No: PS12111105

Brand: American Safety

Color: Orange, Black & Gray Combo

JACKET

- Zip front with Cover Placket
- 50mm Reflective Tape on the shoulders, Sleeves, Waist, Chest and back.
- 4 Chest Pockets with Zippers & 2 with Side Access
- 2 Extra Pockets on Chest with Flap Velcro

TROUSER

- Two striped 50mm Reflective Tape on both legs.
- 2 Swing Pockets in Trouser with Side Access & Patch Mobile Pocket
- 1 Ruler Pocket on Right Side of the Trouser
- 2 Cargo Pockets in Trouser with Flap Velcro
- 2 Back Pockets in Trouser with Flap Velcro

SAFETY STANDARDS

EN 13688: 2013 compliant

EN 20471 compliant



POLY COTTON 2-Piece Reflective Jacket & Trouser -2



Polycotton 2-Piece Reflective Jacket & Trouser ★★★★★ Model No: RBG110 European Elegance

Fabric Quality: Twill Cotton, 80% Cotton with 20% Polyester
Fabric Weight: 240 GSM
Color: Gray & Blue

JACKET

2 Chest pockets with buttoned blue flap
2 Cross pockets with easy access
Reinforced strong double stitch finish.
Stylish front decorated and protected with steel buttons
Concealed high quality zipper.
Open slit arm cuffs with steel buttons
Stylish tailored jacket collar.
Elasticized waist.

Reflector:

EN471 Compliant
50 mm wide high quality reflector on the arms
50 mm wide high quality reflector over the shoulders

TROUSER

2 Back pockets with buttoned flap and gray blue stripes
2 Cross pockets with easy access
2 flapped Cargo pockets with Velcro fasteners
Reinforced strong double stitch finish.
Stylish front decorated and protected with steel buttons
Nylon Zipper
Elasticized waist.

SAFETY STANDARDS

EN 13688: 2013 compliant
EN 20471 compliant



COW SPLIT LEATHER WELDING GLOVES WGT212

Product Picture:



According to EN 407 – Protective gloves against thermal risks (heat and fire)



4	1	3	X	3	X
Large molten metal splashes: N/A					
Small molten metal splashes: performance level 4					
Radiant heat: performance level x					
Convective heat: performance level 3					
Contact heat: performance level 1					
Flammability: performance level 4					



EN 388

Mechanical Hazard



4	: Abrasion resistance	(4-4)
1	: Blade cut resistance	(1-1)
3	: Tear resistance	(3-4)
3	: Puncture resistance	(3-4)

ARGON TIG MASTER WELDING GLOVES TM4000

Product Picture:



According to EN 407 – Protective gloves against thermal risks (heat and fire)



4	2	3	X	4	X
Large molten metal splashes: N/A					
Small molten metal splashes: performance level 4					
Radiant heat: performance level X					
Convective heat: performance level 4					
Contact heat: performance level 2					
Flammability: performance level 4					



EN 388

Mechanical Hazard



4	: Abrasion resistance	(4-4)
1	: Blade cut resistance	(1-1)
4	: Tear resistance	(4-4)
4	: Puncture resistance	(4-4)

3-Ply Medical Mask

Production of Nonwoven fabric masks;
Brand Name: American Safety -- Type:II-R
Bacterial filtration efficiency, (BFE): $\geq 98.9\%$ - (98.9% virus protection)
Latex free, Anti-static spunbond fabric,
Microbial cleaning, 100% hygienic production of meltblown masks,
Production with full ultrasonic machines
Elastic ear loops, nose piece, Non-woven, Disposable, Antibacterial
Dimensions 17.5 x 9.5 cm
Inner: Spunbond - 25 gr -
Middle: Meltblown - 25 gr -
Outer: Spunbond - 25 gr -
Packed 50 pc in a box - 40 box in a carton (2000 pc in one carton)
With certificates FDA - CE - ISO - 9001 - ISO-13485



STOCK COLOURS:

 BLUE
Part No.
MMS17786



3-Ply Medical Mask

Production of Nonwoven fabric masks;
Brand Name: American Safety -- Type:II-R
Bacterial filtration efficiency, (BFE): $\geq 98.9\%$ - (98.9% virus protection)
Latex free, Anti-static spunbond fabric,
Microbial cleaning, 100% hygienic production of meltblown masks,
Production with full ultrasonic machines
Tie Lock, Nose piece, Non-woven, Disposable, Antibacterial Filter
Dimensions 17.5 x 9.5 cm
Inner: Spunbond - 25 gr -
Middle: Meltblown - 25 gr -
Outer: Spunbond - 25 gr -
Packed 50 pc in a box - 40 box in a carton (2000 pc in one carton)
With certificates FDA - CE - ISO - 9001



STOCK COLOURS:

 BLUE
Part No.
MMS-17786-T



Medical Shoe Covers

Name	Hospital Shoe Covers
Color	white , blue
Size	36×15cm , 39×15cm , 40 x 16cm , 42 x 17cm
Material	HDPE,LDPE,CPE (non Woven)
Gsm	60 gsm



Packing : 100 pcs / polybag , 10
Packing : 100 pcs / polybag , 10 polybags / carton
Origin : Pakistan

Shoe Covers is mainly used in food processing, food packaging, hospitals, public utilities, families, fast food, supermarkets and beauty salons. shoe cover is made of PE or chlorinated polyethylene (CPE), it is disposable, light, breathable, dustproof and waterproof.

Microporous Coverall with & without Tape

SPECIFICATION:

Color : White
Type: Protective Clothing
Standard Style: Coverall with Hood, elastic waist wrists and ankles.
Seam Type: 3 thread over lock stitch
Sub Type: Disposable Coveralls
Available Sizes: S, M, L, XL, 2XL & 3XL
Certified: FDA Registered & EU Standards
Weight: 60gsm
Fabric: Microporous film laminate

Category III (Complex) product designed for protection against hazards:

- Type 5 (EN13882-1) protection against hazardous dry particles.
- Type 6 (EN13034) protection against reduced sprays (light splashes and sprays) of liquid chemicals.

Packed 1 pc in a Packet - 50 Pc in a carton

STOCK COLOURS:



STOCK COLOURS:





CODE: SGM

LOW ANKLE SAFETY SHOES - S3 STANDARD

Made in India



FEATURES

Water Resistant Upper Breathable Genuine Leather with Cool Comfort Technique

Heavy Duty Double Density Black/Grey PU Sole

Broad Steel Toe & Flexible Steel Plate

Oil and Acid Resistant, Abrasion and Penetration Resistant

Raised Toe for Added Protection

Bounded Reflective Strip for Increased Visibility in Certain Work Environments

Padded Insole with Energy Absorbing Heels

Color: Black

Sizes: 38 - 46

6 Months Warranty Against Manufacturing Defects

Test Report & Technical Data Sheet Can be Organized Upon Request

10 Pairs Per Carton



CODE: SGE

LOW ANKLE SAFETY SHOES - S3 SRA STANDARD

Made in India



FEATURES

Water Resistant Upper Breathable Genuine Leather with Cool Comfort Technique

Anti-Slip Heavy Duty Double Density Black PU Sole

Broad Steel Toe & Flexible Steel Plate

Oil and Acid Resistant, Abrasion and Penetration Resistant

Raised Toe for Added Protection

Bounded Reflective Strip for Increased Visibility in Certain Work Environments

Padded Insole with Energy Absorbing Heels

Color: Black

Sizes: 38 - 46

6 Months Warranty Against Manufacturing Defects

Test Report & Technical Data Sheet Can be Organized Upon Request

10 Pairs Per Carton

BESTBOY S3

Product Reference	Bestboy
EN ISO 20345:2011	S3 SRC
Sizes	35-48
Weight (s. 41)	620 gr.

Model description: Leather shoe, water repellent, black, Nylon mesh lining, antistatic, puncture resistant steel sole, shock proof, antislip, steel toe cap, S3 PU/PU sole.

Application areas:
Construction, Manufacturing.

Precaution and maintenance of the shoe:
To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator, nor nearby a heat source.



		Description	Measure Unit	Result	EN345 required
Complete shoe	Protection of toes: metal tip resistant to: A shock of 200 J Pressure of 1500 kg Sole: Metal plate resistant to 1100N	Impact resistance (Clearance after shock)	Mm	15,5	>14
		Compressive strength (after clearance compression)	Mm	18,5	14
	Anti-shock system: Low-Density polyurethane and profile of the heel	Shock absorption in heel	J	>35	>20
Upper	Leather, water repellent, black	Permeability to water vapor	Mg/m ² hour	>2,0	>0,8
		Thickness 1,6mm	Permeability coefficient	Mg/cm ²	>25,6
		Water repellent	Minute	>90	<60
Front	Thickness 1,2mm	Permeability coefficient	Mg/cm ²	>35	>30
Lining	Nylon mesh grey	Permeability to water vapor	Mg/cm ² hour	>2,1	>2
Back	Thickness 1,2mm	Permeability coefficient	Mg/cm ²	>45	>30
Insole	Antistatic, absorbent, resistant to abrasion and to exfoliation	Abrasion resistance	Cycles	>400	>400
Outsole	Antistatic double density polyurethane injected directly onto the upper	Abrasion resistance (volume loss)	Mm ³	110	<150
		Shock absorption, anti-slip, abrasion resistant, mineral oils and weak acids	Oil resistance (volume variation AV)	%	+1,0
		Coefficient of adhesion of the outsole	-	0,18	>0,15